

Ol According to the prepared root canal, choose a proper chief gutta-percha tip.



Choose proper tip for Heating and Packing Instrument, place the tip into the root canal and keep it 3-5mm away from the apical foramen, and use a pad to mark the length. At the same time, choose a plugger of the same size.







Put the tip of Heating and Packing Instrument into the root canal, press heating button for heating, cut off the redundant part of gutta-percha and take it out.





Get the needle of Hot Melting

and stay there for 3s to soften

the gutta-percha.

and Filling Gun touch the surface

of gutta-percha in the root canal,

Fi-G

Put the tip into the root canal, press heating button for heating, and push the tip to soften the gutta-percha until the tip reach a place where is 3-5mm away from the apical foramen.



## Root Canal Filling Procedures



Heating and Packing Instrument



Hot Melting and Filling Gun



Plugger



Release the heating button to stop heating, but keep pressing the **O6** gutta-percha in the root canal with tip for about 10s.





Press heating button for about 1s, **O7** and rapidly take out the gutta-percha 3-5mm away from the apical foramen.





Use plugger to impact the gutta-percha in the root canal.







Use plugger to impact the injected gutta-percha in the root canal.

Repeat Step 9 to Step 11 until the root canal filling is finished.









Inject the melted gutta-percha

the needle at the same time.

(Do not fully fill the root canal

should not exceed 4mm.)

into the root canal, and withdraw

at only one time. It is recommended

to fill it in 3 times, or a single injection





Standard configuration

Optional



## Guilin Woodpecker Medical Instrument Co.,Ltd.


nformation Industrial Park, Guilin National High-Tech one,Guilin,Guangxi,541004 P.R.China

Sales department: 0773-5873196/2350599 Fax: 0773-5822450

E-mail: woodpecker4@glwoodpecker.com

Website: http://www.glzmn.com, http://www.glwoodpecker.com

ZMN-XC-006





## Fi-G Fi-P

Fi-G enables the shortest heating and melting time within 15s



## Gutta-percha Obturation System

Fi-G

0.5mm injection needle

Prevent gutta-percha leakage

360 degree rotatable injection needle

15 seconds fast heating

Pushing ram with anti-return structure

Fi-P

0.2 second fast heating

0.35mm pre-bend tip