

page 1/5
Dental Rotary Instruments

Printing date: June 27, 2016

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name:

Ceramiste/Brownie/Greenie/Supergreenie/Composite/composite fine/Hardie/Softcut (PA,PB)/Acrypoint

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Dental material Uses advised against: No further data

1.3 Details of the supplier of the safety date sheet

Company/Undertaking identification

Manufacturer's Name: SHOFU DENTAL GmbH Address: Am Brüll 17, 40878 Ratingen, Germany

Phone: +49 (0) 2102-8664-0 Fax: +49 (0) 2102-8664-64 E-Mail: info@shofu.de

Section in Charge: Quality Management & Regulatory Affairs

1.4 Emergency Telephone Number

+49-2102-8664-53 (SHOFU DENTAL GmbH) 24 hours / 7 days

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

CLASSIFICATION (EC 1272/2008)

Not applicable.

2.2 Label elements

LABEL IN ACCORDANCE WITH (EC) NO.1272/2008

Void

HAZARD-DETERMINING COMPONENTS OF LABELLING

SIGNAL WORD

Void

HAZARD STATEMENTS

Void

PRECAUTIONARY STATEMENTS

Void

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3. Composition/information on ingredients

- 3.1 Chemical characterization: Mixtures
- 3.2 Description: Mixture of substances listed below with nonhazardous additions.
- 3.3 Dangerous components: Void

Working part: Synthetic rubber

Abrasive grain (SiC)
Magnesium oxide (MgO)

(Contd. on page2)



page 2/5
Dental Rotary Instruments

Printing date: June 27, 2016

(Contd. of page1)

Others

Shank part: Stainless steel

3.4 Additional information: For the wording of the listed risk phrases refer to section 2.

SECTION 4. First-aid measures

4.1 Description of first aid measures

Eye contact: Wash immediately plenty of water and seek medical advice, since the grinding

dust cause scratched harm to the cornea if contact.

Skin contact: No special measures required. Ingestion: No special measures required.

Inhalation: Remove from exposure. (if inhaled the dust from grinding)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5. Fire-fighting measures

5.1 Extinguishing Media:

CO₂, Dry chemical, Foam

5.2 Special hazards arising from the substance or mixture:

In the case of fire, irritation gas and fume may emit.

5.3 Advice for firefighters:

Wear fire protective cloth and self-contained breathing apparatus, if necessary.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Don't breathe dust.

6.2 Environmental Precautions:

No special measures required.

6.3 Methods and material for containment and cleaning up:

Pick up and collect in a suitable container.

6.4 Reference to other section:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. Handling and storage

7.1 Precautions for safe handling:

Use in accordance with instruction. In case of grinding and polishing, wear dust mask and safety glasses, and using dust respirator and local exhaust.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a dry place. Take measures to avoid mechanical and chemical damage.

7.3 Specific end use(s):

No further relevant information available

(Contd. on page3)



page 3/5
Dental Rotary Instruments

Printing date: June 27, 2016

(Contd. of page2)

SECTION 8. Exposure controls/personal protection

8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls:

Respiratory Protection:

Dust respirator and/or local exhaust.

Skin Protection: Hand Protection

Not required.

Eye Protection: Safety goggles

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance/Odor/Colour: Brown, green or black colored rubber bonded

polishing stone

Odour threshold Not determined. Ha Not determined. Melting point/freezing point Not determined. **Boiling Point:** Not determined. Flash point: Not determined. Evaporation rate Not determined. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined. Relative Density: Not determined.

Solubility: water solubility Insoluble

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition temperature
Viscosity
Not determined.
Not determined.
Not determined.
Not determined.
Not applicable.
Oxidising properties
Not applicable.

9.2 Other information

No further relevant information available.

SECTION 10. Stability and reactivity

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions:

No dangerous reactions known.

(Contd. on page4)

Version Number 4 Revision date: June 2, 2016



page 4/5
Dental Rotary Instruments

Printing date: June 27, 2016

(Contd. of page3)

10.4 Condition to Avoid:

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

SECTION 11. Toxicological information

11.1 Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitization to the respiratory tract:

Based on available data, the classification criteria are not met.

Skin sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity:

Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure):

Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure):

Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

12.1 Toxicity:

No further relevant information available.

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

12.5 Results of PBT and vPvB assessment:

Not applicable.

12.6 Other adverse effects:

No further relevant information available.

SECTION 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

(Contd. on page5)

Version Number 4 Revision date: June 2, 2016



page 5/5
Dental Rotary Instruments

Printing date: June 27, 2016

(Contd. of page4)

SECTION 14. Transport information

14.1 UN number: Void
14.2 UN proper shipping name: Void
14.3 Transport hazard class(es): Void
14.4 Packing group: Void

14.5 Environmental hazards: No further relevant information available.

14.6 Special precautions for user: Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

• EU REGULATIONS: See Section 2

• Other regulations, limitations and prohibitive regulations:

The product is a medical device according to the EC-directive 93/42/EEC.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

Abbreviations and acronyms:

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative